DART Dart Hawkesbury 1270 Aberdeen St Tel (613) 632-5200

Dart Hawkesbury 1270 Aberdeen St Hawkesbury, ON K6A 1K7 Canada Tel (613) 632-5200

Purchasing Receipts

PO No	Supplier	Line Item No	Rel No	Terms	Purchased Item	Description	For Part No	Project	Equipment ID	Order Qty	Due Date	Received Quantity	Accounting Job No	Container No	Status	Receive Date	Price/Uni
PO039126	ACI001-VC	15	1	Net 30		6061T6 Bar 1.000 X 1.750 : MATERIAL: 6061- T6/T651/T6510/T6511/T62 ALUMINUM BAR PER QC-A-225/8 OR AMS-QQ- A-225/8 OR AMS 4117/4128/4115/4116 OR QQ-A-200/8 OR AMS-QQ- A-200/8 OR AMS 4160 OR ASTM B211 OR ASTM B221 receive ft				12	3/12/2018	12		\$050156	Stock	3/12/2018	\$ 20.17 / ft

Plex 3/12/2018 11:41 AM Dart.Dubois.Pascal



Dart Aerospace Ltd. 1270 Aberdeen St Hawkesbury, ON K6A 1K7 Canada

Tel (613) 632-5200

PURCHASE ORDER PO039126

FEB 2 7 2018

ACI001-VC Supplier:

Ship To:

Acier Ouellette Inc.

935 Boul. Du Havre Valleyfield

QC

J6S 5L1 Canada Phone: 800 667 4248

Fax: 450 377 5696

1270 Aberdeen Street

Hawkesbury

K6A 1K7 Canada

ON

PO No:

PO039126

2/26/18 PO Date: 3/2/18

Due Date:

Purchase Order Revision:

Revision Date: Ship-To Contact:

Lavoie, ChantalPhone:

clavoie@dartaero.com

Via:

Ground

Pymt Terms:

Net 30

Freight Terms:

Special Comments: quotation no: sou0087982

									11-24	Extended
Line	Part	Supplier Part No	Description	Status		Quantity	Received Quantity		Unit Price (CAD)	Price \$55.97
	M4140H-R1.000		4140 round bar 1.00 : AISI 4140H ROUND BAR PER AISI4140OR ASTM A304-02/-A-434- BC/-A193-03-GRADE B7/- A29-03/-A322-91 OR	Firmed	3/2/18	12 ft	10	12 ft	\$4.664/ft AR 0 7 2018	\$33.9
			UNS#-G41400 MINIMUM ULTIMATE TENSILE STRENGTH=100 KSI MINIMUM YIELD TENSILE STRENGTH=66KSI					[M] F	11 0 7 2010	
2	M304B0.500X6.000		304 Bar 0.500 X 6.000" MATERIAL: AISI 304/316 SS BAR OR AISI 304/316 SS PLATE AS PER ASTM	Firmed	3/2/18	6 ft ³	6		\$45.48666/ft	\$272.92
		ļ	A276 OR ASTM A240 NOTE: AISI 303 NOT ACCEPTABLE receive ft				, A		R 0 7 2018	
3	M304B0.625X6.000	:	MATERIAL: AISI 304/316 SS BAR OR AISI 304/316	Firmed	3/2/18	6 ft	(o)		\$55.83333/ft	\$335.00
	i de	A N	SS PLATE AS PER ASTM A276 OR ASTM A240 NOTE: AISI 303 NOT ACCEPTABLE eceive ft					N	MAR 0 7 2018	
4 1	и304S11GA	:	MATERIAL: AISI 304/316 SS SHEET ANNEALED	Firmed	3/2/18	96 sf	96 96	96 sf	\$12.2298/sf	\$1,174.06
		5	AS PER MIL-S-5059 OR AMS 5513 (304) OR AMS 524 (316) OR ASTM A240 OR ASME SA240					М	AR 0 7 2018	

				Items	Due	Order	Received		Unit	Extended
Line	-	Supplier Part No	Description	Status	Date	Quantity	Quantity		Price (CAD)	9342.72
	M304S18GA		304/316 .050 Sheet : MATERIAL: AISI 304/316 SS SHEET ANNEALED AS PER MIL-S-5059 OR AMS 5513 (304) OR AMS 5524 (316) OR ASTM A240 OR ASME SA240		3/2/18	64 sf	(o ^L)	64 sf	\$5.355/sf AR 0 7 2018	\$ 1. ** +
6	M304S16GA	i i	304/316 Sheet .063 : MATERIAL: AISI 304/316 SS SHEET ANNEALED AS PER MIL-S-5059 OR AMS 5513 (304) OR AMS 5524 (316) OR ASTM A240 OR ASME SA240 receive sf		3/2/18	192 sf	197	MAF	\$6.508625/sf R 0 7 2018 \$3.9085416/sf	\$1,249.66 \$375.22
7	M304S20GA		304/316 .040 Sheet : MATERIAL: AISI 304/316 SS SHEET ANNEALED AS PER MIL-S-5059 OR AMS 5513 (304) OR AMS 5524 (316) OR ASTM A240 OR ASME SA240 receive sf	Firmed	3/2/18	96 sf	960		0 7 2018	*
8	M304R5.500	3 : 5	MATERIAL: AISI 304/316 MATERIAL: AISI 304/316 SS ROUND BAR AS PER ASTM A276 NOTE: AISI 303 NOT ACCEPTABLE eceive ft	Firmed	3/2/18	8 ft	8	8 ft MAR	\$310.625/ft 0 7 2018	\$2,485.00
9	M304R0.625	3 : 5		Firmed	3/2/18	24 ft	26		\$2.6591666/ft 0 7 2018	\$63.82
	MT-A513-T- 0.625W0.095	1		Firmed	3/2/18	20 ft	22	20 ft MAR	\$2.9595/ft 0 9 2018	\$59.19
	MT-A513-T- 0.750W0.095	S	513 Seamless Alloy steel Round Tubing .75"dia. x 0.095" Wall	Firmed	3/2/18	20 ft	23	20 ft M A	\$2.4095/ft AR 0 9 2018	\$48.19
	MT-A513-T- 1.000W0.120	S	.513 Seamless Alloy steel Round Tubing 1"dia. 0.120" Wall	Firmed	3/2/18	20 ft	73°	20 ft MAR	\$2.4695/ft 0 7 2018	\$49.39
13 1	M6061T6B2.000X01.250	T A Q A 4 Q A O A	061-T6 Bar 2.00 X 1.25 MATERIAL: 6061- 6/T651/T6510/T6511/T62 LUMINUM BAR PER 1Q-A-225/8 OR AMS-QQ225/8 OR AMS 117/4128/4115/4116 OR 1Q-A-200/8 OR AMS-QQ200/8 OR AMS 4160 R ASTM B211 OR STM B221 ceive ft	Firmed	3/2/18	12 ft	12	MAR I	\$10.1125/ft 0 7 2018	\$121.35

7				tems					Unit	Extende
Line	,	Supplier Part No	Description	Status	Due Date	Order Quantity		Balance	Price (CAD)	Price
14	Part M6061T6B0.750X04.000		6061-T6 Bar .750 X 4.00 : MATERIAL: 6061- T6/T651/T6510/T6511/T62 ALUMINUM BAR PER QQ-A-225/8 OR AMS-QQ- A-225/8 OR AMS 4117/4128/4115/4116 OR QQ-A-200/8 OR AMS-QQ- A-200/8 OR AMS 4160 OR ASTM B211 OR	Firmed	3/2/18	12 ft	17	/	\$10.429166/ft AR 0 7 2018	\$125.1
			ASTM B221 receive ft				0.4	12 ft	\$20.16666/ft	\$242.0
15	M6061T6B1.000X1.750		6061T6 Bar 1.000 X 1.750 : MATERIAL: 6061- T6/T651/T6510/T6511/T62 ALUMINUM BAR PER QQ-A-225/8 OR AMS-QQ- A-225/8 OR AMS 4117/4128/4115/4116 OR QQ-A-200/8 OR AMS-QQ- A-200/8 OR AMS 4160 OR ASTM B211 OR ASTM B221 receive ft			12 ft	12		MAR 12 2 DAS 11 9-89	2018
16	M304B0.750X2.500		304 Bar .750 X 2.50 : MATERIAL: AISI 304/316 SS BAR OR AISI 304/316 SS PLATE AS PER ASTM A276 OR ASTM A240 NOTE: AISI 303 NOT ACCEPTABLE receive ft	Firmed	3/2/18	36 ft	36	M	\$25.241944/N AR 0 7 20/0	\$908.7
17	M6061T6S.050		6061-T6 .050 Sheet : MATERIAL: 6061-T6/T62 ALUMINUM SHEET AS PER QQ-A-250/11 OR AMS-QQ-A-250/11 OR AMS 4025 OR AMS 4027 OR ASTM B209 receive sf	Firmed	3/2/18	96 sf	96 96	١	\$3.3095833/sf MAR Q 7 2018	
18	M6061T6S.250		6061T6 Sheet .250 : MATERIAL: 6061-T6/T62 ALUMINUM SHEET AS PER QQ-A-250/11 OR AMS-QQ-A-250/11 OR AMS 4025 OR AMS 4027 OR ASTM B209	Firmed	3/2/18	32 sf	0€F		\$9.92875/sf	\$317.7
19	M1018R0.313		receive sf 1018-1025 Round Bar 313 : MATERIAL: AISI 1018- 1025 ROUND BAR M1010S20GA AS PER MIL-S-7097 OR ASTM	Firmed	3/2/18	12 ft	() ()		\$0.4958333/H AR 0 7 2018	\$5.9
20	M1018B1.000X1.000		1010-1020 0100	Firmed 3	3/2/18	12 ft	ெரி	12 ft	\$3.6025/ft	\$43.23
	\$		1.000 X 1.000 MATERIAL: AISI 1010- 1025 OR ASTM A36/A366/A569/A570 OR OR CSA G40-21 38W/44W/50W/60W/70W CSA G40-21 OR 38W/44W/50W/60W/70W				130	A. C.	AR E 7 2038	

Plex 2/26/18 2:10 PM dart lavoie chantal

018				Items						
Line		Supplier	Description	Status	Due	Order Quantity	Received Quantity	Balance	Unit Price (CAD)	Extended Price
Item	Part	Part No	Description	Otatas					Grand Total:	\$8,592.96

Order Notes

Procurement Quality Clauses

A005 right of entry

A012 chemical and physical test report

A016 personnel qualification

A017 raw material identification (as applicable)

A026 certification of material conformance

A041 quality management system

A042 dart notification by supplier

A043 retention of quality documents

A048 counterfeit parts avoidance, detection, mitigation and disposition program

A049 supplier awareness

Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please y www.dartaerospace.com for further explanation.

Plex 2/26/18 2:10 PM dart.lavoie.chantal

DELIVERY - CLIENT

Copy

CO00075987

ACIER OUELLETTE INC.

935, Boul, du Hâvre

Salaberry de Valleyfield (Québec) J6S 5L1

Tél.: 450-377-4248 Mtl: 514-336-4248 Ext.: 800-667-4248 Fax: 450-377-5696 Mtl: 514-336-4246 Ext.: 866-456-4242

Date

Customer No

CLI0001056

2018/02/27

Delivery date

2018/03/12

Your order No

39126

Processed by

Josianne Bourdon

Salesman

Carrier

OUELLETTE VALLEYFIELD

Credit Terme

Net 30 Days

DART AEROSPACE LTD

1270, ABERDEEN ST.

HAWKESBURY, Ontario, K6A 1K7

Billed to

Shipped to

, Ontario,

Att: CHANTAL LAVOIE Tél.: 613-632-5200

	Delivery Route	5		T	PCS I	MD	1	mto	I	Hee	Only
Product Description	Weight	Qty	U/M	CMD	EXP	B/O	IN	I	S	_	Only
FLAT ALU 1 X 1 3/4 6061-T6 NS FAL-1134 10147 1 X 12' HEAT: 201801095 AC13909-JG-08/03	24.67	12.00	PI_\$CLB		1 X 12'		12 \ DA: 11				? 2018

Conditions:

Total Weight (Lbs): 24.67

Customer's Signature

NIR: R-109516-6

All sold and delivered materials remain the property of "Acier Quellette Inc" until payment is made in full, complete and cashed. All lost materials are at the buyer's expense. The warranty offered by "Acier Quellette Inc." is the same as offered and honored by the manufacturer and his warranty is transferred by "Acier Quellette Inc." to the client. The buyer hereby accepts to respect the following conditions: Net 30 days from billing date and the buyer accepts to pay administration charges of 2% per month (24% per annum) on all past due amounts over 30 days. Any default in respect with this contract will lead to payment by acceleration and permits to the seller, at his choice to claim for the balance due or the repossession of the goods sold. All claims must be made within five (5) days with this document enclosed. Any merchandise that has been damaged, cut or modified cannot be returned. All goods returned must be with our authorization and are subject to a 25% restocking charge.

Prepared By:

Verified By:

Time

Total (\$CAD)

CERTIFICATE OF TEST, 75987
CERTIFICAT D'ESAIS

CUSTOMER ORDER NUMBER NUMÉRO DE COMMANDE DU CLIENT

Page 01 of 02

Certification Date 8-MAR-2018

Invoice Number T376783

AC00013909 PART NUMBER/NUMÉRO DE PIÈCE

513724

SOLD TO:

ACIER OUELLETTE INC.

935, BOUL. DU HAVRE

SHIP TO:

ACIER OUELLETTE INC.

DIVISION SALABERRY DE VAEXEMPLEAD VENDU A:

DIVISION SALABERRY DE VALLEYFIELI

935, BOUL. DU HAVRE

Line Total: 25

J6S 5L1SALABERRY-DE- VALLEYFIE SALABERRY-DE- VALLEYFIELD OC

OC J6:

Description:

AMS 00-A-200/8 6061-T6511 EXTRUDED BAR

ITEM: 513724

Specifications: QQ A 200/8

ASTM B221

AMS OOA 200/8

ALUMINIUM CHEMICAL ANALYSIS

DESCRIPTION:

SI

CU

MN

CR MG

7N

TI

0.4 MIN 0.8 MAX

0.15

0.8 0.15 1.2 0.04 0.35

0.25

0.15

OTHERS :

EACH

TOTAL 0.15

0.05

AL REMAINDER

R395897

COUNTRY OF ORIGIN : USA

MECHANICAL PROPERTIES

YLD STR KSI

ULT TEN

%ELONG

%RED

DESCRIPTION

45.7

48.2

KSI 49.0

51.5

IN 02 IN 16.0 17.7

IN AREA

The above data were transcribed from the manufacturer's Certificate of Test after verification for completeness and specification requirements of the information on the certificate. All test results remain on file subject to examination. /Les informations ci-haut-mentionnées sont transcrites du certificat d'essais du manufacturier après vérification de l'état complet des spécifications inscrites sur le certificat. We hereby certify that the material covered by this report will meet the applicable requirements described herein, including any specification forming a part of the description. ./Par les présentes, nous certifions que le matériel couvert par ce rapport rencontre les spécifications décrites ci-haut.

The willful recording of false, fictitious, or fraudulent statements in connection with test results may be punishable as a felony under federal statutes. /Les informations fausses, fictives ou frauduleuses en rapport avec le résultat des essais sont punissables en vertu des lois fédérales.

Material did not come in contact with mercury while in our possession./Par les présentes nous certifions que le matériel couvert par ce rapport rencontre les spécifications décrites ci

HARDNESS

MANAGER QUALITY ASSURANCE GÉRANT DE L'ASSURANCE QUALITÉ

gunna kleskrei

CERTIFICATE OF TEST CERTIFICAT D'ESAIS

Page 02 of 02

Certification Date 8-MAR-2018

LIENT Invoice Number

CUSTOMER ORDER NUMBER NUMÉRO DE COMMANDE DU CLIENT AC00013909

PART NUMBER/NUMÉRO DE PIÈCE

COLD TO:

ACTER OUELLETTE INC.

ACIER OUELLETTE INC.

SOLD TO: VENDU À: DIVISION SALABERRY DE VALLSHIFTOLD

SALABERRY-DE- VALLEYFIELD OC

DIVISION SALABERRY DE VALLEYFIELI

935, BOUL. DU HAVRE EXPÉDIÉ À:

935, BOUL. DU HAVRE

J6S 5L1SALABERRY-DE- VALLEYFIE

OC J65

Description:

6061-T6511 EXTRUDED BAR A

AMS QQ-A-200/8

Line Total: 25 LB

1 X 1-3/4 RECT X 12' HEAT: 201801095

TTP.W - 513724

COMMENTS

MELTED AND MFG IN THE USA

The above data were transcribed from the manufacturer's Certificate of Test after verification for completeness and specification requirements of the information on the certificate. All test results remain on file subject to examination. Les informations ci-haut-mentionnées sont transcrites du certificat d'essais du manufacturier après vérification de l'état complet des spécifications inscrites sur le certificat. We hereby certify that the material covered by this report will meet the applicable requirements described herein, including any specification forming a part of the description. Par les présentes, nous certifions que le matériel couvert par ce rapport rencontre les spécifications décrites ci-haut.

The willful recording of false, fictitious, or fraudulent statements in connection with test results may be punishable as a felony under federal statutes. /Les informations fausses, fictives ou frauduleuses en rapport avec le résultat des essais sont punissables en vertu des lois fédérales.

Material did not come in contract with mercure while in our possession. Par les présentes, nous certifions que le matériel couvert par ce rapport rencontre les spécifications décrites cihaut.

MANAGER QUALITY ASSURANCE GÉRANT DE L'ASSURANCE QUALITÉ

summe Lesprei

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: MOOL	AR 1	6B	1.000 018	X1.750	PO / BATCH	NO.: 039	126/50501
MATERIAL CERT REC'D: QUANTITY RECEIVED: QUANTITY INSPECTED: QUANTITY REJECTED:	12	1		THIC	CKNESS ORDE CKNESS RECEI ET SIZE ORDE ET SIZE RECEI	VED:	000 1/A
DESCRIPTION	(Cr	CR heck /N)			COMMENT	rs	
SURFACE DAMAGE	Y	(N)					
CORRECT FINISH	(Y)	N					
CORROSION	Y	(N)					
CORRECT GRAIN DIRECTION	(Y	N	1				
CORRECT MATERIAL PER M-DRAWING	0	N (7574	B221			
CORRECT THICKNESS	(Y)	N	. 4 ,				
PHOTO REQUIRED	Y	N	11 " 1	-			
CORRECT REF # TO LINK CERT	(1)	N	That	# 2012	101095		
CORRECT MATERIAL IDENTFICATION	1	N					
CORRECT M# ON THE MATERIAL	(Y)	N					
DOES THIS MATERIAL REQUIRE		0					
ENGINEERING SIGN OFF	Y	N					
DOES THIS REQUIRE AN	V	(A)					
EXTRUSION REPORT	Y	I(N)	I				
CUT SAMPLE PIEC				ND PREFOR		SS CHECK.	
			HRC	HRB	DUR A	DUR D	T WEBSTER
EVBE OF MATERIAL		-	11110	TIND	DOINA	DOND	VVLDOTLIN

CUT SAMPLE PIECE OF	MATERIAL A	ND PREFOR	M A HARDNE	SS CHECK.	
R	ECORD RES	SULTS BELO	W		
	HRC	HRB	DUR A	DUR D	WEBSTER
TYPE OF MATERIAL					
SIZE OF TEST SAMPLE					
HARDNESS / DUROMETER READING					

testers located in the Quality Office

QC 18 INSPECTION	ENGINEERING SIGNOFF (if required)
INSPECTED BY: 11	SIGNED OFF BY:
DATE: 9-89MAR 1 2 2018	DATE:

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

SPECIFICATION CONTROL DRAWING

PURCHASE MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM BAR

SPECIFICATION:

B

D

QQ-A-225/8 OR AMS-QQ-A-225/8 (OR AMS 4117/4128/4115/4116) OR QQ-A-200/8 OR AMS-QQ-A-200/8 (OR AMS 4160) OR ASTM B211 OR ASTM B221

PART NUMBER:

M6061T6B T.TTT | X | WW.WWW

THICK

WHERE "T.TTT" = THICKNESS IN INCHES "WW.WWW" = WIDTH IN INCHES

E.G. 1.0" X 12.0" BAR = M6061T6B1.000X12.000

В	REMOVE QQ-A-2 ASTM B211/B221	50/11 OPTION, REFORMAT NOTES, ADD (ZN D7-1)	CP	09.07.13
Α	NEW ISSUE		DS	01.06.08
REV.		DESCRIPTION	BY	DATE
DESIG		DART AEROSPA HAWKESBURY, ONTARI		
MFG. A		S DRAWING NO. M6061T6B		REV. E
DE API	1	6061-T6 BAR		SCALE
DATE	09.07.13	COPYRIGHT © 2001 BY DART A THIS DOCUMENT IS PROVIDED AND IS SUPPLED FOR VISED FOR ANY PURPLES; ON COPING ON COMMUNICATION WHITE THE PROMISSION FROM DART AND	ON THE LUPRESS	CONDICION DANS IS IN